

TEST REPORT

APPLICANT: Akzonobel Industrial Coatings Korea Ltd.

ADDRESS: 705, Haean-ro, Sangnok-gu,

Ansan-si, Gyeonggi-do, Korea

PAGE: 1 of 3

REPORT NO. RT24R-S3425-004-E DATE: May 20, 2024

SAMPLE DESCRIPTION : The following submitted sample(s) said to be:-

NAME/TYPE OF PRODUCT : TX-F #23 PRIMER IVORY SAMPLE ID NO. : RT24R-S3425-004

MANUFACTURER/VENDOR : Akzonobel Industrial Coatings Korea Ltd.

SAMPLE RECEIVED : May 13, 2024

TESTING DATE : May 13, 2024 ~ May 20, 2024

TEST METHOD(S) : Please see the following page(s).
TEST RESULT(S) : Please see the following page(s).

* Note 1 : The test results presented in this report refer only to the object tested.

Approved by,

Authorized by,

Authenticity check

Jade Jang / Lab. Technical Manager

Bo Park / Lab. General Manager

Intertek Testing Services Korea Ltd.

Seoul Office: Tel: 02-6090-9500 Fax: 02-3409-0025 Web Site: intertek.co.kr Seoul Lab. Address: 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea



^{*} Note 2 : This report shall not be reproduced except in full without the written approval of the testing laboratory.



TEST REPORT

PAGE: 2 of 3

REPORT NO. RT24R-S3425-004-E

DATE: May 20, 2024

SAMPLE ID NO. : RT24R-S3425-004
SAMPLE DESCRIPTION : TX-F #23 PRIMER IVORY

TEST ITEM	UNIT	TEST METHOD	MDL	RESULT
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 Edition 1.0 : 2013,	0.5	N.D.
Lead (Pb)	mg/kg	by acid digestion and determined by ICP-OES	5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321-4: 2013/AMD1: 2017, by acid digestion and determined by ICP-OES	2	N.D.
Hexavalent Chromium (Cr ⁶⁺)	mg/kg	With reference to IEC 62321-7-2 Edition 1.0 : 2017, by alkaline/toluene digestion and determined by UV-VIS Spectrophotometer	8	N.D.

Tested by : Jooyeon Lee, Chano Kim

Notes: mg/kg = ppm = parts per million

< = Less than

N.D. = Not detected (<MDL)
MDL = Method detection limit

^{*} View of sample as received;-



Intertek Testing Services Korea Ltd.

Seoul Office: Tel: 02-6090-9500 Fax: 02-3409-0025 Web Site: intertek.co.kr Seoul Lab. Address: 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea












TEST REPORT

PAGE: 3 of 3

REPORT NO. RT24R-S3425-004-E

DATE: May 20, 2024

SAMPLE ID NO. : RT24R-S3425-004 SAMPLE DESCRIPTION : TX-F #23 PRIMER IVORY



Remarks:

*1 : List of appropriate acid :

Material	Acid added for digestion
Polymers	HNO ₃ , HCl, HF, H ₂ O ₂ , H3BO ₃
Metals	HNO₃, HCl, HF
Electronics	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄

^{*2 :} The samples were dissolved totally by pre-conditioning method according to above flow chart.

***** End of Report *****

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

This report shall not be reproduced, except in full.

 ${\it This \ report \ is \ not \ related \ to \ the \ scope \ of \ Korea \ Laboratory \ Accreditation \ Scheme.}$

Intertek Testing Services Korea Ltd.

Seoul Office: Tel: 02-6090-9500 Fax: 02-3409-0025 Web Site: intertek.co.kr Seoul Lab. Address: 7, Achasan-ro 5-gil, Seongdong-gu, Seoul, 04793 Korea







